Topical and sub tropical vegetable

www.k8449r.weebly.com

www.anilrana13014.weebly.com

Model Paper 2015 with 2<sup>nd</sup>

hourly

		L. D. No. IS
Mid-te	rm Exan	nination (B.Sc. First year)
Max. Time: 1 hr.	Tropical	and Sub-tropical Vegetables)
(4.S)		Max Mar
Q 1 Fill in the blanks: $(5 \times 0.25=1.25)$	1:25	Max. Marks: 15
1) Snap bean kidney bean is botanically	thown as	Pharadus Vulgaste
l megune vegetab	le is know	ND on the
Contraction and a contraction is	the proge	enitor of Franch p
4) Low temperature and high humidity pr 5) Cucurbit crop suitable for river bod	omotes.	Female a
5) Cucurbit crop suitable for river bed cu	tivation	is Rura pupple Long (cucimber)
0.2 Choose the most and	and action 1	sura purple long (cucumber)
Q 2 Choose the most appropriate answer	: (5 x 0.2	15=1.25
<ol> <li>Yard long bean is botanically known as</li> <li>a) V U sep Collind</li> </ol>	k:	(0.75)
Which of the following is known as "F	mensen	isii OV U ssp sesquipedalis d) None of these
a) French Bean b) Cow pea c)	and might	eu ocan
Centre of origin of 'Lima bean' is:	in inged t	Bean (d) Lima Bean
(a) India b) South America c)	Africa	d) Guatemala
Guar Gum' is extracted from:		
a) Cowpea b) Snap Bean C)	Cluster	Bean d) Lab-lab bean
a) Amaranthus tricolor (b) Amarantus is:	hus dubi	
3 Write down whathand	us auon	us c) Amaranthus blitum d) Amaranthus viridis
3 Write down whether the statement is t		
Cool nights and warm days are ideal for	accumul	lation of sugars in melons (Frue)
Hypocotyl necrosis in French bean is car	used due	to low 'B' level in the seed. (Fall)
Lima bean is oftenly-cross pollinated leg Gynoecious lines are used for hybrid see		
		and determinate growth habit, respectively ( Fulle
	1	
4 Match the following? (5 x 0.25=1.25)	1.25	
Pusa Parvati	Ja.	Triploid watermelon
Pusa Sanyog	Th.	Winged bean
Butter bean	Je.	Cucumber
Vegetable of 20 <sup>th</sup> ceptury	102	Lima bean
Pusa Bedana	15	X-ray mutant variety of French bean

		 ****************
Vers een dermeleer	d other All model Paper than yo	